



**ecofloors**<sup>®</sup>  
COLLECTION

**Natural BAMBOO**<sup>®</sup>

*Your home... Your family... Your planet... Your choice... Your life.*

*Eco-friendly flooring.*



## Why Natural Bamboo?

Bamboo is one of nature's most eco-friendly resources. Natural Bamboo floors from USFloors, are made from the Moso species of bamboo and only harvested from managed plantations or forests in the tropical mountain regions of China and southeast Asia. Moso bamboo is only suitable for flooring once it reaches 5 1/2 - 6 years of maturity. Natural Bamboo offers the WIDEST SELECTION of bamboo flooring options and provides the perfect balance between environmental responsibility, trend setting style, and superior durability.

## Sustainable & Renewable Bamboo

Bamboo can be harvested many times over its life and renew itself in a relatively short period of time compared to traditional hardwood flooring materials such as oak and maple which take 50+ years to mature and can only be harvested once. When a single plant stand of bamboo is harvested, multiple plant stands regenerate in its place. Harvesting bamboo actually encourages the spread and growth of new bamboo plants. Bamboo removes CO<sub>2</sub> from the atmosphere and generates up to 35% more oxygen than an equivalent tree stand. 1 hectare (approx. 2.5 acres) of bamboo sequesters 62 tons of CO<sub>2</sub> per year.

## Green Building with Natural Bamboo

Natural Bamboo floors contribute to satisfying LEED® Credits for Rapidly Renewable Resources and Low Emitting Materials under the LEED® Rating System. The LEED® (Leadership in Energy and Environmental Design) Green Building Rating System is the nationally accepted benchmark for the design, construction, and operation of high performance green buildings as administered by the U.S. Green Building Council. USFloors is a member of the USGBC. Natural Bamboo floors meet the European E0 and CARB (California Air Resource Board) standards used to measure formaldehyde emissions.

## Widest Assortment of Styles

The EcoFloors collection represents the widest selection of bamboo and cork styles and textures available from a single source, US Floors.

## Lifetime Warranties

Every product in the EcoFloors collection is backed by a Lifetime Residential Wear Warranty and a Lifetime Structure Warranty, providing the most extensive protection in the industry. These products are also backed by a 5 Year Commercial Wear Warranty for light and medium commercial applications. Strand Woven Bamboo products carry a 15 Year Heavy Commercial Warranty.

# Natural BAMBOO®

Natural Bamboo® from USFloors, technically a grass, offers the performance attributes and natural aesthetics of hardwood flooring, but with a distinctive look and unique grain character. Available in a wide array of colors, textures, widths, and varying constructions, Natural Bamboo is an eco-friendly choice but also gets extremely high marks for its durability, style, and affordability.

As a member of the U.S. Green Building Council, USFloors Moso6™ Premium 6 Year Mature Moso Bamboo to ensure that the bamboo is harvested from mature 6 year old stalks. Natural Bamboo® floors are finished with multiple coatings of a water-based UV-cured aluminum oxide free of solvents and harmful VOC's. Our Natural Bamboo® floors contribute to satisfying the following Credits under LEED®:

**MR Credit 6:** Rapidly Renewable Materials

**IEQ Credit 4:** Low-Emitting Materials

Natural Bamboo® offers an unmatched selection of constructions, colors, and textures in premium quality bamboo flooring.

*For more about bamboo flooring, visit [www.usfloorsllc.com](http://www.usfloorsllc.com).*

STYLE  
+  
SUBSTANCE  
SYNCHRONIZED



*Bamboo matures in a mere 5 1/2 - 6 years, regenerates without the necessity for replanting, and requires minimal fertilization or pesticides. Bamboo releases 35% more oxygen than trees.*

*Thomas Edison used a carbonized piece of bamboo as a filament for one of the first electric light bulbs.*



*Vertical Natural Bamboo®*

**Natural Bamboo® Traditions features the best of traditional horizontal and vertical bamboo floors in solid and engineered construction with widths up to 7 1/2 inches. Solid stained and handscraped bamboo styling highlights this trendsetting Natural Bamboo assortment.**

- Precision milled solid and engineered planks
- Endura AR™ finish with advanced abrasion resistance protects your bamboo floor
- Harder than red and white oak
- Lifetime Wear Warranty / Lifetime Structure Warranty
- 5 Year Light / Medium Commercial Warranty
- Contributes to LEED credits for Rapidly Renewable Materials and Low Emissions
- Meets E0 and CARB standards for Low Formaldehyde Emissions

## Natural BAMBOO

*Traditions*



**Horizontal Natural\***  
602HN|604HN|606HN



**Horizontal Spice\***  
602HS|604HS|606HS



**Vertical Natural\***  
602VN|604VN|606VN



**Vertical Spice\***  
602VS|604VS|606VS



**Cream**  
602H9|604H9



**Golden Harvest**  
602H8|604H8



**Slate**  
602H7|604H7



**Storm**  
602H6|604H6



**Handscraped  
Spice**  
605CHS



**Handscraped  
Apricot**  
605CH1



**Handscraped  
Cognac**  
605CH2



**Handscraped  
Jacobean**  
605CH3

*\* Also available in glueless locking profile in engineered plank, size 5 1/4" x 38" x 5/8".  
See your retailer for details and availability.  
See complete bamboo specifications on the back of this catalog.*



*Handscraped Hickory Natural Bamboo®*

## Natural BAMBOO

### Exotiques



**Stained Ebony**  
606V1



**Stained Hickory**  
606V2



**Stained Chestnut**  
606V3



**Stained Pecan**  
606V4



**Stained Porto**  
606V5



**Handscraped Ebony**  
606VHS1



**Handscraped Hickory**  
606VHS2




**Handscraped Chestnut**  
606VHS3



**Handscraped Pecan**  
606VHS4



**Handscraped Porto**  
606VHS5



**Strand Woven Natural**  
606VN



**Strand Woven Spice**  
606VS



**Strand Woven Tiger**  
606VT

**The Exotiques Collection showcases a designer palette of colors and textures to accentuate your distinctive style. The engineered construction of these Natural Bamboo® floors offers the flexibility to install in any room on any level in the home or office.**

- Extensive selection of richly stained colors, handscraped planks, and exotic strand woven looks.
- Endura AR™ finish with advanced abrasion resistance protects your bamboo floor
- Harder than red and white oak
- Lifetime Wear Warranty / Lifetime Structure Warranty
- 5 Year Light / Medium Commercial Warranty
- 15 Year Heavy Commercial Warranty for Strand Woven floors
- Contributes to LEED credits for Rapidly Renewable Materials and Low Emissions
- Meets E0 and CARB standards for Low Formaldehyde Emissions

See complete bamboo specifications on the back of this catalog.





*Corboo Horizontal Natural Bamboo®*

The Natural Bamboo® Wovens Collection surpasses ordinary strand woven bamboo with our easy-to-maintain Natural-E™ Natural Oil Finish that enhances the natural beauty of each bamboo plank. Engineered to perform, Wovens Collection floors are twice as hard as oak and suitable for heavy commercial use.

- Trendsetting colors in unique one of a kind natural oil finish
- Select Corboo™ styles infused with cork strands for distinctive visual and improved sound reduction
- Natural-E™ Natural Oil Finish becomes more beautiful over time
- Easy to clean and can be spot repaired if necessary
- Lifetime Wear Warranty / Lifetime Structure Warranty
- 15 Year Heavy Commercial Warranty for Strand Woven floors
- Contributes to LEED credits for Rapidly Renewable Materials and Low Emissions
- Meets E0 and CARB standards for Low Formaldehyde Emissions

## Natural BAMBOO

Wovens



**Charcoal**  
606WSO4



**Antique Spice**  
606WSOHS



**Spice**  
606WSO



**Aqua**  
606WNO5



**Chocolate**  
606WSO3



**Mahogany**  
606WSO1




**Natural**  
606WNO



**Walnut**  
606WSO2



**Oyster**  
606WNO6



**Corboo™ Mahogany**  
606WSOHC1



**Corboo™ Horizontal**  
606WSOHC



**Corboo™ Walnut**  
606WSOHC2



**Corboo™ Vertical**  
606WSOVC

## Natural Cork® Underlayment

USFloors offers basic and premium Natural Cork® underlayments for use under hard-wood, laminate, ceramic tile, and carpet. Our basic underlayment, Natural Cork® Underlayment provides excellent acoustical insulation under hard surface flooring, added thermal insulation, and helps inhibit the growth of odor-causing mold and mildew. It also serves as a stress crack protection membrane when used underneath ceramic tile. Natural Cork® Underlayment is available in sheets or in 200 sq. ft. rolls.

### CorkShield® Premium Underlayment

Our premium underlayment, CorkShield®, offers all of the benefits of Natural Cork® Underlayment plus:

- Attached aluminum film provides the dual benefits of a moisture barrier and helps conserve energy enhancing the natural thermal insulation properties of the cork itself.

## Endura AR™ Advanced Abrasion Resistance

Ecofloors are protected by Endura AR™, our proprietary UV-cured, water based finish providing advanced generation abrasion resistance. This new generation of finish improves wear performance and scratch resistance without compromising the natural beauty of the floor.

## Natural-E™ Natural Oil Finish

Our Natural Bamboo® Wovens Collection is protected by our Natural-E™ Natural Oil Finish. A Natural-E™ finish enhances the natural grain and character of the floor, developing a saturated patina over time. The Natural-E™ finish makes your floor easy to maintain and can be spot repaired with minimal dust, odors, or disruption to your home.

## Floor Care and Maintenance

Protect your floor by taking the following precautions:

- Vacuum or sweep your floor at least once a week.  
Never wet mop your floor.
- Wipe up spills immediately.
- Use walk off mats at entrances and in front of kitchen sink.
- Avoid rubber backed or other non-ventilated mats or rugs.
- Install felt pads underneath feet of furniture.
- Use protective chair pads underneath chairs with rollers or casters.
- Maintain minimum relative humidity of 50%-60%.
- Never apply tape or adhesive products to floor surface.
- Keep pet claws trimmed.

All that is required for maintenance is frequent and regular sweeping or vacuuming of your floor. When required, use a non-abrasive floor cleaner recommended for hard surface flooring.

## NATURAL BAMBOO® Product Information

Description	Available Construction	Available Widths	Sq. Ft. Per Carton
Horizontal Natural	Solid / Engineered	3.75" (S) / 7.5" (E)	23.80 (S) / 23.20 (E)
Horizontal Spice	Solid / Engineered	3.75" (S) / 7.5" (E)	23.80 (S) / 23.20 (E)
Vertical Natural	Solid / Engineered	3.75" (S) / 7.5" (E)	23.80 (S) / 23.20 (E)
Vertical Spice	Solid / Engineered	3.75" (S) / 7.5" (E)	23.80 (S) / 23.20 (E)
Cream	Solid	3.75"	23.80
Golden Harvest	Solid	3.75"	23.80
Slate	Solid	3.75"	23.80
Storm	Solid	3.75"	23.80
Handscraped Spice	Solid	6.625"	28.93
Handscraped Apricot	Solid	6.625"	28.93
Handscraped Cognac	Solid	6.625"	28.93
Handscraped Jacobean	Solid	6.625"	28.93
Stained Ebony	Engineered	6"	25.36
Stained Hickory	Engineered	6"	25.36
Stained Chestnut	Engineered	6"	25.36
Stained Pecan	Engineered	6"	25.36
Stained Porto	Engineered	6"	25.36
Handscraped Ebony	Engineered	6"	25.36
Handscraped Hickory	Engineered	6"	25.36
Handscraped Chestnut	Engineered	6"	25.36
Handscraped Pecan	Engineered	6"	25.36
Handscraped Porto	Engineered	6"	25.36
Strand Woven Natural	Engineered	5.625"	27.97
Strand Woven Spice	Engineered	5.625"	27.97
Strand Woven Tiger	Engineered	5.625"	27.97
The Wovens Collection	Engineered	5.625"	27.97



*Printed using vegetable-based inks on environmentally responsible paper stock. The smaller size of this catalog reduces the amount of paper required to impress you with our eco-friendly flooring solutions. It also fits nicely in a shirt pocket or a fabulous purse.*



Manufacturer of **Unique** and **Sustainable** Floors

[usfloorsllc.com](http://usfloorsllc.com)



### Mixed Sources

Product group from well-managed forests, controlled sources and recycled wood or fibre

[www.fsc.org](http://www.fsc.org) Cert no. SGS-COC-003913  
© 1996 Forest Stewardship Council



Printed on FSC certified paper.